Patons

FAIRYTALE 4 PLY

PRICE CODE C 8353
36-51 cm
14-20 in

(illustrated in Shade 4300)

Matinee Jacket				
To fit chest				
36	**41**	46	**51**	cm
14	**16**	18	**20**	in (approx)
Actual size				
38	**42**	47	**52**	
15	**16½**	18½	**20½**	in (approx)
Finished length, approx				
18	**20**	23	**24**	cm
7	**8**	9	**9½**	in
Sleeve seam, approx				
11	**12**	15	**18**	cm
4½	**4½**	6	**7**	in
Patons Fairytale 4 ply				
1	**1**	2	**2**	50 gram balls
Bonnet				
0–5 months		6–12 months		
Bootees				
0–5 months		6–12 months		
Mitts				
0–5 months		6–12 months		
Patons Fairytale 4 ply				
Bonnet				
1		1		50 gram ball
Bootees				
1		1		50 gram ball
Mitts				
1		1		50 gram ball
For the set				
1		2		100 gram 'Magic Value' balls

Quantities of yarn are approximate as they are based on average requirements. Check the actual yarn colour – as printing may not match yarn exactly.

We recommend Milward or Susan Bates knitting needles.

Pair each Nos 2¾ mm and 3¼ mm needles.

1·5 metres of 0·5 cm wide ribbon for Matinee Jacket, Bootees and Mitts.

0·5 metres of 2 cm wide ribbon for Bonnet.

Tension

On No 3¼ mm needles, 26 sts and 38 rows to 10 cm (patt), 28 sts and 36 rows to 10 cm (stocking st).

Important

It is essential to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

Caution

It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

Abbreviations

K=knit; P=purl; st=stitch; garter st=every row knit; tog=together; tbl=through back of loops; inc=increase by working into front and back of stitch; dec=decrease by working 2 stitches together; beg=beginning; alt=alternate; rep=repeat; cm=centimetres; in=inches; mm=millimetres; sL1K=slip 1 knitways; yfwd=yarn forward; psso=pass slip stitch over; patt=pattern; 0=no st, row or time.

M1=make a stitch by picking up horizontal loop lying before next stitch and working into back of it.

Matinee Jacket

BACK

With No 3¼ mm needles, cast on 49 [**55,** 61, **67**] sts and work in garter st for 3 rows.

Now work in **patt** as follows: **1st row**—(Right side), K1, * yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K1; rep from * to end.

2nd row—P.

3rd row—* K2, yfwd, sL1K, K2tog, psso, yfwd, K1; rep from * to last st, K1.

4th row—P.

These 4 rows form patt.

Continue in patt until Back measures 11 [**12,** 12, **12**] cm, ending with right side facing for next row.

Keeping continuity of patt, **shape raglans** by casting off 2 sts at beg of next 2 rows.

3rd and 4th sizes: Dec 1 st at each end of next and following 4th row ([53, **59**] sts). Work 3 rows.

All sizes: Dec 1 st at each end of next and every alt row until 19 [**21,** 21, **23**] sts remain. Work 1 row.

Leave remaining sts on a spare needle.

LEFT FRONT

With No 3¼ mm needles, cast on 22 [**25,** 28, **31**] sts and work in garter st for 3 rows.

Now work in **patt** as follows: **1st row**—(Right side), K1, * yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K1; rep from * to last 3 [**0,** 3, **0**] sts, (yfwd, sL1K, K1, psso, K1) 1 [**0,** 1, **0**] time.

2nd row—P.

3rd row—* K2, yfwd, sL1K, K2tog, psso, yfwd, K1; rep from * to last 4 [**1,** 4, **1**] sts, K2 [**1,** 2, **1**], (yfwd, sL1K, K1, psso) 1 [**0,** 1, **0**] time.

4th row—P.

These 4 rows form patt.

Continue in patt until Front matches Back to start of raglan shaping, ending with right side facing for next row.

Keeping continuity of patt, **shape raglan** by casting off 2 sts at beg of next row. Work 1 row.

3rd and 4th sizes: Dec 1 st at beg of next and following 4th row ([24, **27**] sts). Work 3 rows.

All sizes: Dec 1 st at beg of next and every following alt row until 11 [**14,** 14, **17**] sts remain. Work 1 row.

Shape neck as follows: **Next row**—K2tog, patt to last 2 sts, turn and leave remaining sts on a safety-pin.

Dec 1 st at neck edge on next 3 [**4,** 4, **5**] rows, **at the same time** dec 1 st at raglan edge on following 1 [**2,** 2, **2**] alt rows (4 [**5,** 5, **7**] sts). Work 0 [**1,** 1, **0**] row.

Dec 1 st at raglan edge **only** on next and every following alt row until 2 sts remain. Work 1 row.

Next row—K2tog and fasten off.

RIGHT FRONT

With No 3¼ mm needles, cast on 22 [**25,** 28, **31**] sts and work in garter st for 3 rows.

Now work in **patt as follows: 1st row**—(Right side), (K1, K2tog, yfwd) 1 [**0,** 1, **0**] time, K1, * yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K1; rep from * to end.

2nd row—P.

3rd row—(K2tog, yfwd, K1) 1 [**0,** 1, **0**] time, * K2, yfwd, sL1K, K2tog, psso, yfwd, K1; rep from * to last st, K1.

4th row—P.

These 4 rows form patt.

Continue in patt and work to match Left Front, reversing shapings, **noting**

that an extra row will have to be worked before start of raglan shaping.

SLEEVES

With No 2¾ mm needles, cast on 27 [**27,** 35, **39**] sts and work in rib as follows: **1st row**—(Right side), K1, * P1, K1; rep from * to end.

2nd row—P1, * K1, P1; rep from * to end.

Rep these 2 rows until work measures 3 cm, ending with a 1st row.

1st, 3rd and 4th sizes: Next row—Rib 3 [9, **4**], (M1, rib 7 [17, **10**]) 3 [1, **3**] times, M1, rib 3 [9, **5**] (31 [37, **43**] sts).

2nd size: Next row—Rib 2, * M1, rib 3, M1, rib 2; rep from * to end (37 sts).

1st and 2nd sizes: Change to No 3¼ mm needles and work in patt as on Back until sleeve seam measures approx 11 [**12**] cm, ending with a 2nd row of patt.

3rd and 4th sizes: Change to No 3¼ mm needles and work in patt as on Back, shaping sides by inc 1 st at each end of [7th, **9th**] and every following [6th, **8th**] row until there are [49, **55**] sts, taking inc sts into patt.

Work straight until sleeve seam measures approx [15, **18**] cm, ending with same patt row as on Back and Fronts before start of raglan shaping.

All sizes: Keeping continuity of patt, **shape raglans** by casting off 2 sts at beg of next 2 rows.

1st and 2nd sizes: Dec 1 st at each end of next and following 4th row (23 [**29**] sts). Work 3 [**1**] rows.

All sizes: Dec 1 st at each end of next and every alt row until 5 [**5,** 5, **9**] sts remain. Work 1 row.

4th size: Dec 1 st at each end of next 2 rows (5 sts).

All sizes: Leave these sts on a safety-pin.

MAKE UP AND BORDERS

Do not press.

Note: For extra comfort, we recommend this garment be made up with a flat seam.

Join raglan, side and sleeve seams.

Neck Border: With right side facing and No 2¾ mm needles, starting at right front, K2 from safety-pin, **knit up** 6 [**8,** 8, **11**] sts up right side of neck, K5 from right sleeve, 19 [**21,** 21, **23**] from back inc 2 sts evenly, 5 from left sleeve, **knit up** 6 [**8,** 8, **11**] sts down left side of neck, then K2 from safety-pin (47 [**53,** 53, **61**] sts).

Starting and ending with a 2nd row, work in rib as on Sleeves for 2 cm.

Cast off evenly in rib.

Front Borders: With right side facing and No 2¾ mm needles, **knit up** 57 [**61,** 71, **73**] sts evenly along each front edge.

Starting and ending with a 2nd row, work in rib as on Sleeves for 1 cm.

Cast off evenly in rib.

Cut two lengths of ribbon and sew to Neck Border as in photograph.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

Bonnet

With No 2¾ mm needles, cast on 55 [67] sts and work in rib as follows: **1st row**—(Right side), K1, * P1, K1; rep from * to end.

2nd row—P1, * K1, P1; rep from * to end.

Rep these 2 rows twice more.

Change to No 3¼ mm needles and work in patt as on Back of Matinee Jacket until work measures approx 9 [12] cm, ending with a 4th row of patt.

Shape back by casting off 18 [24] sts at beg of next 2 rows.

Continue in patt on remaining 19 sts until work measures 7 [9] cm from cast off sts.

Cast off.

TO MAKE UP

Do not press.

Note: For extra comfort, we recommend this garment be made up with a flat seam.

Join back seams.

With right side facing and No 2¾ mm needles, **knit up** 63 [79] sts along lower edge and work in rib as follows: **1st row**—(**Wrong** side), K1, * P1, K1; rep from * to end.

2nd row—K2, * P1, K1; rep from * to last st, K1.

Rep these 2 rows once more, then 1st row again.

Cast off evenly in rib.

Cut two lengths of ribbon and sew one to each side as in photograph.

Bootees

With No 2¾ mm needles, cast on 37 [43] sts and work in rib as on Bonnet for 6 rows.

Change to No 3¼ mm needles and work in patt as on Back of Matinee Jacket for 8 [12] rows.

Next row—K1 [2], * yfwd, K2tog; rep from * to last 0 [1] st, K0 [1].

Next row—P.

Divide for instep as follows: **Next row**—K25 [29], turn.

Next row—P13 [15], turn.

Work in stocking st for 15 rows on these 13 [15] sts. Break yarn.

Leave these sts on a safety-pin.

With right side facing, rejoin yarn to inside edge where 12 [14] sts were left, **knit up** 12 sts up side of foot, K13 [15] sts from safety-pin, **knit up** 12 sts down other side of foot, then K across remaining 12 [14] sts (61 [67] sts).

Starting with a P row, work in stocking st for 5 [7] rows.

Shape foot: 1st row—K1, (K2tog, K25 [28], K2togtbl, K1) twice.

2nd and every alt row—P.

3rd row—K1, (K2tog, K23 [26], K2togtbl, K1) twice.

5th row—K1, (K2tog, K21 [24], K2togtbl, K1) twice.

6th row—P.

Cast off.

TO MAKE UP

Do not press.

Note: For extra comfort, we recommend this garment be made up with a flat seam.

Join foot and leg seams.

Thread ribbon through holes at ankles and tie at front.

LEFT MITT

** With No 2¾ mm needles, cast on 27 [37] sts and work in rib as on Bonnet for 3 cm, ending with a 2nd row.

Change to No 3¼ mm needles and work as follows: **Next row**—K2 [1], * yfwd, K2tog; rep from * to last 1 [0] st, K1 [0].

Next row—P.

Now work in **patt** as follows: **

1st row—(Right side), K18 [25], yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K to end.

2nd row—P.

3rd row—K19 [26], yfwd, sL1K, K2tog, psso, yfwd, K to end.

4th row—P.

These 4 rows form patt.

Continue in patt until Mitt measures 9 [11] cm, ending with right side facing for next row.

Shape top as follows: **1st row**—K1, (K2togtbl, K8 [13], K2tog, K1) twice.

2nd and 4th rows—P.

3rd row—K1, (K2togtbl, K6 [11], K2tog, K1) twice.

5th row—K1, (K2togtbl, K4 [9], K2tog, K1) twice.

6th row—P.

Cast off.

RIGHT MITT

Work as for Left Mitt from ** to **.

1st row—(Right side), K4 [7], yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K to end.

2nd row—P.

3rd row—K5 [8], yfwd, sL1K, K2tog, psso, yfwd, K to end.

4th row—P.

These 4 rows form patt.

Complete as for Left Mitt.

TO MAKE UP

Do not press.

Note: For extra comfort, we recommend this garment be made up with a flat seam.

Join seams.

Thread ribbon through holes at wrists.

WASHING AND CARING FOR PATONS YARNS

Hand washing is always best. For yarns made mainly of wool use warm water, a warm rinse, squeeze out between towels or spin-dry (normal cycle), then dry flat after easing into shape. Do not dry in direct heat (radiators or fires). Do not dry white handknits in direct sunlight. For yarns made mainly of acrylics it is important that you rinse in cold water and if you spin-dry use the short cycle.

A great many people now use washing machines. The ball band will show whether the yarn you have chosen is suitable for machine-washing: if it is, follow these four "golden rules".

1. Make sure the garment is knitted correctly according to the Patons pattern, on the correct needles to the correct tension.
2. Don't have the water hotter than the recommended temperature.
3. Use the machine on a gentle cycle.
4. Don't leave the garment in the machine too long.

The wrappers on all Patons yarns show the appropriate International Textile Care Labelling Code symbols for the yarn. Examples are shown here. The latest automatic machines have these International Care Symbols, and provided your machine is not connected to the domestic hot water supply (when you need to be careful about the heat) all you have to do is match the programme to our symbols. Older types of machine will not have these controls and it may be more difficult to ensure the correct combination of temperature, agitation and time.

If you are in any way unsure about the application of the symbols to your machine it is safest to hand-wash.

WASH SYMBOLS

	Machine	Hand wash
5 40°	Warm (40°C) Maximum wash	Warm (40°C)
	Normal rinse and spin Do not rub or hand-wring Dry flat	
6 40°	Machine Warm (40°C) Minimum wash	Hand wash Warm (40°C)
	Cold rinse Short spin Do not wring	
7 40°	Machine Warm (40°C) Minimum wash	Hand wash Warm (40°C) Do not rub
	Spin Do not rub or hand-wring Dry flat	

	Hand wash only Warm (40°C) Warm rinse Do not rub or hand-wring Dry flat
BLEACH SYMBOLS	Household bleach can be used Do not bleach
IRONING SYMBOLS	Cool Iron (120°C) Warm Iron (160°C) Do not Iron
DRY CLEANING SYMBOLS	(A) Dry cleanable in all solvents (F) Dry cleanable in certain solvents (P) Consult cleaner Do not dry clean

We shall be happy to deal with your queries if you write to Sarah Bell, Patons & Baldwins Limited, Alloa, Scotland, enclosing a ball band of the yarn specified and a stamped addressed envelope.

PUBLISHED BY PATONS & BALDWINS LIMITED

WARNING – COPYRIGHT All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Patons & Baldwins Limited to whom applications for commercial licences should be addressed.

Made and printed in Great Britain A377 © Patons & Baldwins Limited 1986 PP43 25495